

NORSAN GmbH

Plauener Str. 163-165, Haus E
13053 Berlin



Our Sign : CFr
Date : 11.08.2025

Certificate of analysis 25036990 - 007

Sample name : NORSAN Omega-3 ARKTIS

Marking of sample : Charge: 644152505, MHD: 04/27

Customer No. : none

Packaging : Commercial package/cardboard box

Sample amount : 2 x 200 mL

Shipping of sample : Courier Service

Sample entry : 30.07.2025

Entrance temperature : Room temperature

Sample taken : by sender

Begin/end of analysis : 30.07.2025 / 11.08.2025

The test results apply only to the test items described in the report. No responsibility is accepted for the validity of the results if any data or information provided by the customer may affect them. Data provided by the customer are clearly identified. The laboratory assumes no responsibility for the sampling unless it was carried out by samplers from a company within the GBA Group or on its behalf. In this case, the results apply to the sample as received. The test report may not be published or reproduced, in whole or in part, without the written consent of the issuing company. The general terms and conditions are available at <https://www.gba-group.com/en/general-terms-and-conditions/>.

1 / 3

Dok.-Nr.: ML 510-01 # 2



Certificate of analysis : 25036990 - 007

Sample name : NORSAN Omega-3 ARKTIS

Test Results

Chemical/Physical Test	Result	Unit	$\pm$ MU	MU Source	ML
Lead	<0,020	mg/kg		I	3,0
Cadmium	<0,010	mg/kg		I	1,0
Mercury	<0,010	mg/kg		I	0,10
Arsenic	<0,040	mg/kg		I	
Iodine	4,1	mg/kg	1		

Hamburg, 11.08.2025

This test report is done automatically and is valid without signature.

Methods

Parameter	Method	DR
Lead	DIN EN 15763, ICP-MS: 2010-04 ^a ₅	y
Cadmium	DIN EN 15763, ICP-MS: 2010-04 ^a ₅	y
Mercury	DIN EN 15763, ICP-MS: 2010-04 ^a ₅	y
Arsenic	DIN EN 15763, ICP-MS: 2010-04 ^a ₅	y
Iodine	PNTe/LQM/FYQ/316: 2025-05 ^a ₅₈	z

The methods marked with ^a are accredited methods of the performing laboratory.

Testing laboratory: ₅GBA Pinneberg ₅₈LQM

MU-Source:

I: According to DIN ISO 11352 as expanded, combined measurement uncertainty with $k = 2$ (95 %), sampling not included

Decision rules:

y: In conformity assessment, measurement uncertainty is disregarded for measured values below the tolerance limit. For measured values exceeding the tolerance limit, measurement uncertainty is subtracted from the measured value. If no conformity assessment is performed, measurement uncertainty serves as informational data only.

z: In conformity assessment, measurement uncertainty is disregarded and serves as informational data only.

Certificate of analysis : 25036990 - 007

Sample name : NORSAN Omega-3 ARKTIS